

LIIDEWAY


SHENZHEN RILLA TECHNOLOGY CO., LTD

Tel: 86-0755-21630857 Fax: 86-0755-21630857 M/P: 86-013480102329

E-mail add:scooter1@leadwaycn.com www.goocycle.com/www.liidewayscooter.com

ATV 250C Quotation



Picture	Item No	Description		Price US\$		Optional(spare parts)	
							Price US\$
	YS250-C-1	1. Engine :	250cc single cylinder,4 stroke,air cooled	Sample	\$904	Aluminum rim	
		2. Max. power:	12kw./6500±100rim			23x7-10/22x10-10:	\$45.00
		3. Max. torque:	17.5J/ 5500±100min			25x8-12/25x10-12:	\$123.00
		4. Bore/stroke:	67/65mm	20ft:	\$882	250cc engine,water cooled,	\$65.84
		5. compression ratio:	10:01			25x8-12: Spare tire	\$60.93
		6. Gear box :	4F/N/1R;Automatic tansmission			M3 meter	\$30.35
		7. Final drive:	530 Bold chian drive			3 LCD meter	\$35.75
		8. Staring system :	Electric start			front hydraulic disc brake	\$29.65
		9. Fuel capacity :	7.8L,plastic tank			front and rear airbag shock	\$19.47
		10. Suspension:	front and rear oil shock			turn light	\$3.38
		11. Brake :	front drum brake,rear hydraulic disc brake			rearview mirror	\$3.38
		12. whee & trye(front/rear)	front and rear iron rim 23x7-10/22x10-10			handle protector	\$7.95
		13. Wheelbase:	1210mm	remote controller:	\$9.14		
		14. Front tread :	960mm	4 front bigger light	\$19.30		
		15. Rear tread :	780mm	front and rear plastic plates	\$19.66		
		16. Seat to ground :	890mm	40HQ:	\$867	double aluminum exhaust pipes	\$16.09
		17. Seat to footstep:	480mm			winch	\$76.64
		18. Max. speed :	95km/h			shaft drive	\$82.93
		19. Max. loading :	240kgs			Backrest	\$10.33
		20. Product size :	2080*1240*1350mm			Traction ball	\$7.10
		21. Carton size :	1520*820*830mm			Army color	\$19.83
		22. G. W. /N. W. :	240kgs/220kgs				
		23. Container:	20' FT/20pcs 40' GP/42pcs 40' HQ/48pcs				
Product link	https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/						



YS250-C-3

1. Engine :	250cc single cylinder,4 stroke,air cooled	sample:	\$1,180	Aluminum rim	Price US\$		
2. Max. power:	12kw./6500±100rim			23x7-10/22x10-10:	\$45.00		
3. Max. torque:	17.5J/ 5500±100min			25x8-12/25x10-12:	\$123.00		
4. Bore/stroke:	67/65mm			20ft:	\$1,158	250cc engine,water cooled,	\$65.84
5. compression ratio:	10:01					25x8-12: Spare tire	\$60.93
6. Gear box :	4F/N/1R;Automatic tansmission	M3 meter	\$30.35				
7. Final drive:	530 Bold chian drive	3 LCD meter	\$35.75				
8. Staring system :	Electric start	Front hydraulic disc brake:	\$29.65				
9. Fuel capacity :	7.8L,plastic tank	Air bag shock absorption:	\$19.47				
10.Suspension:	front and rear oil shock	40ft:	\$1,148	Turn signal:	\$3.38		
11. Brake :	front drum brake,rear hydraulic disc brake			reflector:	\$3.38		
12. whee & trye(front/rear)	front and rear iron rim 23x7-10/22x10-10			handguard:	\$7.95		
13. Wheelbase:	1210mm			remote key:	\$9.14		
14. Front tread :	1000mm			LED front four net headlights:	\$18.30		
15. Rear tread :	760mm	40HQ:	\$1,143	Trunk:	\$105.75		
16. Seat to ground :	890mm			Dual aluminum exhaust pipes:	\$16.09		
17. Seat to footstep:	480mm			winch:	\$76.64		
18. Max. speed :	90km/h			Shaft drive:	\$82.93		
19. Max. loading :	240kgs			Backrest:	\$10.33		
20. Product size :	1830*1100*1370mm			Tow ball:	\$6.10		
21. Carton size :	1500*830*810mm	Camouflage color:	\$22.40				
22. G. W. /N. W. :	260kgs/240kgs						
23. Container:	20' FT/20pcs 40' GP/42pcs 40' HQ/48pcs						

Product link

<https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/>



YS250-C-4

1. Engine	250cc single cylinder,4 stroke,water cooled	sample:	\$994		Price US\$		
2. Max. power	12kw./6500±100rim			235/30-14:	\$55.00		
3. Max. torque	17.5J/ 5500±100min			250CC water-cooled enginecc	\$65.00		
4. Bore/stroke	67/65mm			20ft:	\$972	M3 LCD instrument	\$30.50
5. compression ratio	10:01					Three LCD instrument:	\$35.00
6. Gear box	4F/N/1R;Automatic tansmission	Front hydraulic disc brake:	\$29.65				
7. Final drive	530 Bold chian drive	Air bag shock absorption:	\$18.47				
8. Staring system	Electric start	40ft:	\$962			Turn signal:	\$3.38
9. Fuel capacity	7.8L,plastic tank					reflector:	\$3.38
10. Suspension	front and rear airbag shock			handguard:	\$7.95		
11. Brake	front and rear hydraulic disc brake			remote key:	\$9.14		
12. whee & trye(front/rear)	front and rear aluminum rimfront and rear 235			Front and rear fenders:	\$103.50		
13. Wheelbase	1420mm	Rear plastic pallet:	\$11.86				
14. Front tread	870mm	Dual aluminum exhaust pipes:	\$15.09				
15. Rear tread	980mm						
16. Seat to ground	820mm						
17. Seat to footstep	500mm						
18. Max. speed	100km/h						

	19. Max. loading	240kgs	40HQ:	\$957	winch:	\$76.64
	20. Product size	2040x1210x1310mm			Shaft drive:	\$82.93
	21. Carton size	1720*970*850mm			Backrest:	\$10.33
	22. G. W. /N. W.	240kgs/220kgs			Tow ball:	\$7.10
	23. Container	20' FT/20pcs 40' GP/42pcs 40' HQ/48pcs			Camouflage color:	\$22.40

Product link

<https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/>



YS250-C-5


<table border="1"> <tr> <td>1. Engine</td> <td>250cc single cylinder,4 stroke,air cooled</td> <td rowspan="3">Sample:</td> <td rowspan="3">\$930</td> <td></td> <td>Price US\$</td> </tr> <tr> <td>2. Max. power</td> <td>12kw./6500±100rim</td> <td>23x7-10/22x10-10:</td> <td>\$45.00</td> </tr> <tr> <td>3. Max. torque</td> <td>17.5J/ 5500±100min</td> <td>25x8-12/25x10-12:</td> <td>\$123.00</td> </tr> <tr> <td>4. Bore/stroke</td> <td>67/65mm</td> <td rowspan="6">20ft:</td> <td rowspan="6">\$908</td> <td>250CC water-cooled enginecc</td> <td>\$65.00</td> </tr> <tr> <td>5. compression ratio</td> <td>10:01</td> <td>25x8-12: Spare tire aluminum</td> <td>\$60.00</td> </tr> <tr> <td>6. Gear box</td> <td>4F/N/1R;Automatic tansmission</td> <td>M3 LCD instrument</td> <td>\$29.35</td> </tr> <tr> <td>7. Final drive</td> <td>530 Bold chian drive</td> <td>Three LCD instrument:</td> <td>\$33.75</td> </tr> <tr> <td>8. Staring system</td> <td>Electric start</td> <td>Front hydraulic disc brake:</td> <td>\$29.65</td> </tr> <tr> <td>9. Fuel capacity</td> <td>7.8L,plastic tank</td> <td>Air bag shock absorption:</td> <td>\$18.47</td> </tr> <tr> <td>10. Suspension</td> <td>front and rear oil shock</td> <td>Turn signal:</td> <td>\$3.38</td> </tr> <tr> <td>11. Brake</td> <td>front drum brake,rear hydraulic disc brake</td> <td>reflector:</td> <td>\$3.38</td> </tr> <tr> <td>12. whee & trye(front/rear)</td> <td>front and rear iron rim 23x7-10/22x10-10</td> <td>handguard:</td> <td>\$7.95</td> </tr> <tr> <td>13. Wheelbase</td> <td>1130mm</td> <td>remote key:</td> <td>\$9.14</td> </tr> <tr> <td>14. Front tread</td> <td>1000mm</td> <td rowspan="7">40HQ:</td> <td rowspan="7">\$894</td> <td>Dual aluminum exhaust pipes:</td> <td>\$15.09</td> </tr> <tr> <td>15. Rear tread</td> <td>760mm</td> <td>winch:</td> <td>\$76.64</td> </tr> <tr> <td>16. Seat to ground</td> <td>890mm</td> <td>Shaft drive:</td> <td>\$82.93</td> </tr> <tr> <td>17. Seat to footstep</td> <td>480mm</td> <td>Backrest:</td> <td>\$9.33</td> </tr> <tr> <td>18. Max. speed</td> <td>95km/h</td> <td>Tow ball:</td> <td>\$6.10</td> </tr> <tr> <td>19. Max. loading</td> <td>240kgs</td> <td>Camouflage color:</td> <td>\$19.83</td> </tr> <tr> <td>20. Product size</td> <td>2000*1210*1350mm</td> <td></td> <td></td> </tr> <tr> <td>21. Carton size</td> <td>1510*820*830mm</td> <td></td> <td></td> </tr> <tr> <td>22. G. W. /N. W.</td> <td>240kgs/220kgs</td> <td></td> <td></td> </tr> <tr> <td>23. Container</td> <td>20' FT/20pcs 40' GP/42pcs 40' HQ/48pcs</td> <td></td> <td></td> </tr> </table>	1. Engine	250cc single cylinder,4 stroke,air cooled	Sample:	\$930		Price US\$	2. Max. power	12kw./6500±100rim	23x7-10/22x10-10:	\$45.00	3. Max. torque	17.5J/ 5500±100min	25x8-12/25x10-12:	\$123.00	4. Bore/stroke	67/65mm	20ft:	\$908	250CC water-cooled enginecc	\$65.00	5. compression ratio	10:01	25x8-12: Spare tire aluminum	\$60.00	6. Gear box	4F/N/1R;Automatic tansmission	M3 LCD instrument	\$29.35	7. Final drive	530 Bold chian drive	Three LCD instrument:	\$33.75	8. Staring system	Electric start	Front hydraulic disc brake:	\$29.65	9. Fuel capacity	7.8L,plastic tank	Air bag shock absorption:	\$18.47	10. Suspension	front and rear oil shock	Turn signal:	\$3.38	11. Brake	front drum brake,rear hydraulic disc brake	reflector:	\$3.38	12. whee & trye(front/rear)	front and rear iron rim 23x7-10/22x10-10	handguard:	\$7.95	13. Wheelbase	1130mm	remote key:	\$9.14	14. Front tread	1000mm	40HQ:	\$894	Dual aluminum exhaust pipes:	\$15.09	15. Rear tread	760mm	winch:	\$76.64	16. Seat to ground	890mm	Shaft drive:	\$82.93	17. Seat to footstep	480mm	Backrest:	\$9.33	18. Max. speed	95km/h	Tow ball:	\$6.10	19. Max. loading	240kgs	Camouflage color:	\$19.83	20. Product size	2000*1210*1350mm			21. Carton size	1510*820*830mm			22. G. W. /N. W.	240kgs/220kgs			23. Container	20' FT/20pcs 40' GP/42pcs 40' HQ/48pcs							
	1. Engine	250cc single cylinder,4 stroke,air cooled			Sample:	\$930		Price US\$																																																																																															
	2. Max. power	12kw./6500±100rim					23x7-10/22x10-10:	\$45.00																																																																																															
	3. Max. torque	17.5J/ 5500±100min	25x8-12/25x10-12:	\$123.00																																																																																																			
	4. Bore/stroke	67/65mm	20ft:	\$908	250CC water-cooled enginecc	\$65.00																																																																																																	
	5. compression ratio	10:01			25x8-12: Spare tire aluminum	\$60.00																																																																																																	
	6. Gear box	4F/N/1R;Automatic tansmission			M3 LCD instrument	\$29.35																																																																																																	
	7. Final drive	530 Bold chian drive			Three LCD instrument:	\$33.75																																																																																																	
	8. Staring system	Electric start			Front hydraulic disc brake:	\$29.65																																																																																																	
	9. Fuel capacity	7.8L,plastic tank			Air bag shock absorption:	\$18.47																																																																																																	
	10. Suspension	front and rear oil shock	Turn signal:	\$3.38																																																																																																			
	11. Brake	front drum brake,rear hydraulic disc brake	reflector:	\$3.38																																																																																																			
	12. whee & trye(front/rear)	front and rear iron rim 23x7-10/22x10-10	handguard:	\$7.95																																																																																																			
	13. Wheelbase	1130mm	remote key:	\$9.14																																																																																																			
	14. Front tread	1000mm	40HQ:	\$894	Dual aluminum exhaust pipes:	\$15.09																																																																																																	
	15. Rear tread	760mm			winch:	\$76.64																																																																																																	
	16. Seat to ground	890mm			Shaft drive:	\$82.93																																																																																																	
	17. Seat to footstep	480mm			Backrest:	\$9.33																																																																																																	
	18. Max. speed	95km/h			Tow ball:	\$6.10																																																																																																	
	19. Max. loading	240kgs			Camouflage color:	\$19.83																																																																																																	
	20. Product size	2000*1210*1350mm																																																																																																					
	21. Carton size	1510*820*830mm																																																																																																					
	22. G. W. /N. W.	240kgs/220kgs																																																																																																					
23. Container	20' FT/20pcs 40' GP/42pcs 40' HQ/48pcs																																																																																																						

Product link

<https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/>



<table border="1"> <tr> <td>1. Engine</td> <td>250cc single cylinder,4 stroke,air cooled</td> <td rowspan="3">Sample:</td> <td rowspan="3">\$1,125</td> <td></td> <td>Price US\$</td> </tr> <tr> <td>2. Max. power</td> <td>12kw./6500±100rim</td> <td>23x7-10/22x10-10:</td> <td>\$45.00</td> </tr> <tr> <td>3. Max. torque</td> <td>17.5J/ 5500±100min</td> <td>25x8-12/25x10-12:</td> <td>\$123.00</td> </tr> <tr> <td>4. Bore/stroke</td> <td>67/65mm</td> <td rowspan="6">20ft:</td> <td rowspan="6">\$1,103</td> <td>250CC water-cooled engine cc:</td> <td>\$65.00</td> </tr> <tr> <td>5. compression ratio</td> <td>10:01</td> <td>25x8-12: Spare tire aluminum</td> <td>\$58.93</td> </tr> <tr> <td>6. Gear box</td> <td>4F/N/1R;Automatic tansmission</td> <td>M3 LCD instrument</td> <td>\$29.35</td> </tr> <tr> <td>7. Final drive</td> <td>530 Bold chian drive</td> <td>Longding instrument:</td> <td>\$55.30</td> </tr> <tr> <td>8. Staring system</td> <td>Electric start</td> <td>Front hydraulic disc brake:</td> <td>\$28.65</td> </tr> <tr> <td>9. Fuel capacity</td> <td>7.8L,plastic tank</td> <td>Air bag shock absorption:</td> <td>\$18.47</td> </tr> <tr> <td>10. Suspension</td> <td>front and rear oil shock</td> <td></td> <td></td> </tr> <tr> <td>11. Brake</td> <td>front drum brake,rear hydraulic disc brake</td> <td></td> <td></td> </tr> </table>	1. Engine	250cc single cylinder,4 stroke,air cooled	Sample:	\$1,125		Price US\$	2. Max. power	12kw./6500±100rim	23x7-10/22x10-10:	\$45.00	3. Max. torque	17.5J/ 5500±100min	25x8-12/25x10-12:	\$123.00	4. Bore/stroke	67/65mm	20ft:	\$1,103	250CC water-cooled engine cc:	\$65.00	5. compression ratio	10:01	25x8-12: Spare tire aluminum	\$58.93	6. Gear box	4F/N/1R;Automatic tansmission	M3 LCD instrument	\$29.35	7. Final drive	530 Bold chian drive	Longding instrument:	\$55.30	8. Staring system	Electric start	Front hydraulic disc brake:	\$28.65	9. Fuel capacity	7.8L,plastic tank	Air bag shock absorption:	\$18.47	10. Suspension	front and rear oil shock			11. Brake	front drum brake,rear hydraulic disc brake							
	1. Engine	250cc single cylinder,4 stroke,air cooled			Sample:	\$1,125		Price US\$																																													
	2. Max. power	12kw./6500±100rim					23x7-10/22x10-10:	\$45.00																																													
	3. Max. torque	17.5J/ 5500±100min	25x8-12/25x10-12:	\$123.00																																																	
	4. Bore/stroke	67/65mm	20ft:	\$1,103	250CC water-cooled engine cc:	\$65.00																																															
	5. compression ratio	10:01			25x8-12: Spare tire aluminum	\$58.93																																															
	6. Gear box	4F/N/1R;Automatic tansmission			M3 LCD instrument	\$29.35																																															
	7. Final drive	530 Bold chian drive			Longding instrument:	\$55.30																																															
	8. Staring system	Electric start			Front hydraulic disc brake:	\$28.65																																															
	9. Fuel capacity	7.8L,plastic tank			Air bag shock absorption:	\$18.47																																															
	10. Suspension	front and rear oil shock																																																			
11. Brake	front drum brake,rear hydraulic disc brake																																																				



YS250-C-6	12. whee & trye(front/rear)	front and rear iron rim 23x7-10/22x10-10	40ft:	\$1,093	Turn signal:	\$3.38
	13. Wheelbase	1210mm			reflector:	\$3.38
	14. Front tread	1000mm			handguard:	\$7.95
	15. Rear tread	760mm			remote key:	\$9.14
	16. Seat to ground	890mm			LED front four net headlights:	\$18.30
	17. Seat to footstep	480mm			Trunk:	\$105.75
	18. Max. speed	90km/h	40HQ:	\$1,088	Dual aluminum exhaust pipes:	\$15.09
	19. Max. loading	240kgs			winch:	\$76.64
	20. Product size	1830*1100*1370mm			Shaft drive:	\$79.93
	21. Carton size	1500*830*810mm			Backrest:	\$9.33
	22. G. W. /N. W.	260kgs/240kgs			Tow ball:	\$6.10
23. Container	20' FT/20pcs 40' GP/42pcs 40' HQ/48pcs	Camouflage color:			\$22.40	

Product link

<https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/>



YS250-C-7	1. Engine	250cc single cylinder,4 stroke,air cooled	Sample:	\$1,030		Price US\$
	2. Max. power	12kw./6500±100rim			23x7-10/22x10-10:	\$45.00
	3. Max. torque	17.5J/ 5500±100min			25x8-12/25x10-12:	\$123.00
	4. Bore/stroke	67/65mm	20ft:	\$1,008	250CC water-cooled engine cc:	\$65.84
	5. compression ratio	10:01			25x8-12: Spare tire aluminum	\$60.93
	6. Gear box	4F/N/1R;Automatic tansmission			M3 LCD instrument	\$29.35
	7. Final drive	530 Bold chian drive			Longding instrument:	\$53.30
	8. Staring system	Electric start			Front hydraulic disc brake:	\$28.65
	9. Fuel capacity	7.8L,plastic tank			Air bag shock absorption:	\$18.47
	10. Suspension	front and rear oil shock	40ft:	\$998	Turn signal:	\$3.38
	11. Brake	front drum brake,rear hydraulic disc brake			reflector:	\$3.38
12. whee & trye(front/rear)	front and rear iron rim 23x7-10/22x10-10	handguard:			\$7.95	
13. Wheelbase	1310mm	remote key:			\$9.14	
14. Front tread	960mm	LED front four net headlights:			\$18.30	
15. Rear tread	780mm	Trunk:			\$105.75	
16. Seat to ground	890mm	40HQ:	\$993	Dual aluminum exhaust pipes:	\$15.09	
17. Seat to footstep	480mm			winch:	\$76.64	
18. Max. speed	95km/h			Shaft drive:	\$78.93	
19. Max. loading	240kgs			Backrest:	\$13.73	
20. Product size	2180*1240*1350mm			Tow ball:	\$6.10	
21. Carton size	1620*820*830mm			Camouflage color:	\$22.40	
22. G. W. /N. W.	240kgs/220kgs					
23. Container	20' FT/18pcs 40' GP/38pcs 40' HQ/44pcs					