

ATV Electric Quotation



Item	Picture	Specification		Product link	FOB NINGBO
DS-EA01		MOTOR	Brush motor CHAIN DRIVE	https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/	\$248.00
		MAX output power	1000W		
		MAX SPEED	22KM/H		
		BATTERY	36V 12AH LEAD-AICD		
		Wheel	4.10-4/ OFF ROAD		
		Brake	front/rear disc brake		
		MAX Load	50 KG		
		Seat height	50CM		
		Product size	100*59*60CM		
		N.W/G.W	40KGS/50KGS		
DS-EA02		MOTOR	Brush motor CHAIN DRIVE	https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/	\$245.00
		MAX output power	1000W		
		MAX SPEED	22KM/H		
		BATTERY	36V 12AH LEAD-AICD		
		Wheel	4.10-4/ OFF ROAD		
		Brake	front/rear disc brake		
		MAX Load	50 KG		
		Seat height	50CM		
		Product size	100*59*60CM		
		N.W/G.W	40KGS/50KGS		
DS-EA03		MOTOR	Brush motor CHAIN DRIVE	https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/	\$258.00
		MAX output power	1000W		
		MAX SPEED	24KM/H		
		BATTERY	36V 12AH LEAD-AICD		
		Wheel	Front/Rear:6" OFF ROAD		
		Brake	front/rear disc brake		
		MAX Load	50 KG		
		Seat height	50CM		
		Product size	100*59*60CM		
		N.W/G.W	40KGS/50KGS		
DS-EA04		MOTOR	Brush motor CHAIN DRIVE	https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/	\$258.00
		MAX output power	1000W		
		MAX SPEED	24KM/H		
		BATTERY	36V 12AH LEAD-AICD		
		Wheel	Front/Rear:6" OFF ROAD		
		Brake	front/rear disc brake		
		MAX Load	50 KG		
		Seat height	50CM		
		Product size	100*59*60CM		
		N.W/G.W	40KGS/50KGS		

DS-EA02		MOTOR MAX output power MAX SPEED BATTERY Wheel Brake Front shock Rear shock Product size N.W. Seat height	Brush motor CHAIN DRIVE 1000W 25KM/H 36V 12AH LEAD-AICD F4.10-6/ R13x5.00-6 OFF ROAD front/rear disc brake double a swing arms mono shock 112*68*67CM 52KGS 47CM	https://goocycle.com/product/atv-electric-motorcycle-liidewav-hm-1/	\$265.00
DS-EA05		MOTOR MAX output power MAX SPEED BATTERY Wheel Brake Front shock Rear shock Product size N.W. Seat height	Brush motor CHAIN DRIVE 1000W 25KM/H 36V 12AH LEAD-AICD F4.10-6/ R13x5.00-6 OFF ROAD front/rear disc brake double a swing arms mono shock 115*68*67CM 54KGS 47CM	https://goocycle.com/product/atv-electric-motorcycle-liidewav-hm-1/	\$266.00
DS-EA07		MOTOR MAX output power MAX SPEED BATTERY Wheel Brake MAX Load Seat height Product size N.W/G.W	Brush motor CHAIN DRIVE 1000W 24KM/H 36V 12AH LEAD-AICD Front/Rear:6" OFF ROAD front/rear disc brake 60 KG 52CM 115*68*66CM 57KGS/65KGS	https://goocycle.com/product/atv-electric-motorcycle-liidewav-hm-1/	\$275.00
DS-EA08		MOTOR MAX output power MAX SPEED BATTERY Wheel Brake MAX Load Seat height Product size N.W/G.W	Brush motor CHAIN DRIVE 1000W 24KM/H 36V 12AH LEAD-AICD Front/Rear:6" OFF ROAD front/rear disc brake 60 KG 52CM 115*68*66CM 57KGS/65KGS	https://goocycle.com/product/atv-electric-motorcycle-liidewav-hm-1/	\$275.00
		MOTOR	Brush motor CHAIN DRIVE		

EA09		<table border="1"> <tbody> <tr> <td>MAX output power</td> <td>1000W</td> </tr> <tr> <td>MAX SPEED</td> <td>25KM/H</td> </tr> <tr> <td>BATTERY</td> <td>36V 12AH LEAD-AICD</td> </tr> <tr> <td>Wheel</td> <td>F4.10-6/ R13x5.00-6 OFF ROAD</td> </tr> <tr> <td>Brake</td> <td>front/rear disc brake</td> </tr> <tr> <td>Front shock</td> <td>double a swing arms</td> </tr> <tr> <td>Rear shock</td> <td>mono shock</td> </tr> <tr> <td>Product size</td> <td>118*70*67CM</td> </tr> <tr> <td>N.W.</td> <td>55KGS</td> </tr> <tr> <td>Seat height</td> <td>47CM</td> </tr> </tbody> </table>	MAX output power	1000W	MAX SPEED	25KM/H	BATTERY	36V 12AH LEAD-AICD	Wheel	F4.10-6/ R13x5.00-6 OFF ROAD	Brake	front/rear disc brake	Front shock	double a swing arms	Rear shock	mono shock	Product size	118*70*67CM	N.W.	55KGS	Seat height	47CM	https://goocycle.com/product/atv-electric-motorcycle-liidewav-hm-1/	\$295.00
MAX output power	1000W																							
MAX SPEED	25KM/H																							
BATTERY	36V 12AH LEAD-AICD																							
Wheel	F4.10-6/ R13x5.00-6 OFF ROAD																							
Brake	front/rear disc brake																							
Front shock	double a swing arms																							
Rear shock	mono shock																							
Product size	118*70*67CM																							
N.W.	55KGS																							
Seat height	47CM																							
EA11		<table border="1"> <tbody> <tr> <td>MOTOR</td> <td>Brush motor CHAIN DRIVE</td> </tr> <tr> <td>MAX output power</td> <td>1000W</td> </tr> <tr> <td>MAX SPEED</td> <td>25KM/H</td> </tr> <tr> <td>BATTERY</td> <td>48V 20AH LEAD-AICD</td> </tr> <tr> <td>Wheel</td> <td>Front/Rear:16*8.00-7 OFF ROAD</td> </tr> <tr> <td>Brake</td> <td>front DRUM brake, rear DISC brake</td> </tr> <tr> <td>MAX Load</td> <td>50 KG</td> </tr> <tr> <td>Seat height</td> <td>50CM</td> </tr> <tr> <td>Product size</td> <td>157*80*95CM</td> </tr> <tr> <td>N.W/G.W</td> <td>40KGS/50KGS</td> </tr> </tbody> </table>	MOTOR	Brush motor CHAIN DRIVE	MAX output power	1000W	MAX SPEED	25KM/H	BATTERY	48V 20AH LEAD-AICD	Wheel	Front/Rear:16*8.00-7 OFF ROAD	Brake	front DRUM brake, rear DISC brake	MAX Load	50 KG	Seat height	50CM	Product size	157*80*95CM	N.W/G.W	40KGS/50KGS	https://goocycle.com/product/atv-electric-motorcycle-liidewav-hm-1/	\$498.00
MOTOR	Brush motor CHAIN DRIVE																							
MAX output power	1000W																							
MAX SPEED	25KM/H																							
BATTERY	48V 20AH LEAD-AICD																							
Wheel	Front/Rear:16*8.00-7 OFF ROAD																							
Brake	front DRUM brake, rear DISC brake																							
MAX Load	50 KG																							
Seat height	50CM																							
Product size	157*80*95CM																							
N.W/G.W	40KGS/50KGS																							
EA12		<table border="1"> <tbody> <tr> <td>MOTOR</td> <td>Brush motor CHAIN DRIVE</td> </tr> <tr> <td>MAX output power</td> <td>800W</td> </tr> <tr> <td>MAX SPEED</td> <td>25KM/H</td> </tr> <tr> <td>BATTERY</td> <td>48V 20AH LEAD-AICD</td> </tr> <tr> <td>Wheel</td> <td>Front/Rear:145*70-6 OFF ROAD</td> </tr> <tr> <td>Brake</td> <td>front DRUM brake, rear DISC brake</td> </tr> <tr> <td>MAX Load</td> <td>75 KG</td> </tr> <tr> <td>Seat height</td> <td>60CM</td> </tr> <tr> <td>Product size</td> <td>127*74*85CM</td> </tr> <tr> <td>N.W/G.W</td> <td>90KGS/102KGS</td> </tr> </tbody> </table>	MOTOR	Brush motor CHAIN DRIVE	MAX output power	800W	MAX SPEED	25KM/H	BATTERY	48V 20AH LEAD-AICD	Wheel	Front/Rear:145*70-6 OFF ROAD	Brake	front DRUM brake, rear DISC brake	MAX Load	75 KG	Seat height	60CM	Product size	127*74*85CM	N.W/G.W	90KGS/102KGS	https://goocycle.com/product/atv-electric-motorcycle-liidewav-hm-1/	\$430.00
MOTOR	Brush motor CHAIN DRIVE																							
MAX output power	800W																							
MAX SPEED	25KM/H																							
BATTERY	48V 20AH LEAD-AICD																							
Wheel	Front/Rear:145*70-6 OFF ROAD																							
Brake	front DRUM brake, rear DISC brake																							
MAX Load	75 KG																							
Seat height	60CM																							
Product size	127*74*85CM																							
N.W/G.W	90KGS/102KGS																							
EA13		<table border="1"> <tbody> <tr> <td>MOTOR</td> <td>Brush motor CHAIN DRIVE</td> </tr> <tr> <td>MAX output power</td> <td>1000W</td> </tr> <tr> <td>MAX SPEED</td> <td>25KM/H</td> </tr> <tr> <td>BATTERY</td> <td>48V 20AH LEAD-AICD</td> </tr> <tr> <td>Wheel</td> <td>Front/Rear:16*8.0-7 OFF ROAD</td> </tr> <tr> <td>Brake</td> <td>front DRUM brake, rear DISC brake</td> </tr> <tr> <td>MAX Load</td> <td>85 KG</td> </tr> <tr> <td>Seat height</td> <td>64CM</td> </tr> <tr> <td>Product size</td> <td>157*80*95CM</td> </tr> <tr> <td>N.W/G.W</td> <td>95KGS/107KGS</td> </tr> </tbody> </table>	MOTOR	Brush motor CHAIN DRIVE	MAX output power	1000W	MAX SPEED	25KM/H	BATTERY	48V 20AH LEAD-AICD	Wheel	Front/Rear:16*8.0-7 OFF ROAD	Brake	front DRUM brake, rear DISC brake	MAX Load	85 KG	Seat height	64CM	Product size	157*80*95CM	N.W/G.W	95KGS/107KGS	https://goocycle.com/product/atv-electric-motorcycle-liidewav-hm-1/	\$478.00
MOTOR	Brush motor CHAIN DRIVE																							
MAX output power	1000W																							
MAX SPEED	25KM/H																							
BATTERY	48V 20AH LEAD-AICD																							
Wheel	Front/Rear:16*8.0-7 OFF ROAD																							
Brake	front DRUM brake, rear DISC brake																							
MAX Load	85 KG																							
Seat height	64CM																							
Product size	157*80*95CM																							
N.W/G.W	95KGS/107KGS																							
		<table border="1"> <tbody> <tr> <td>MOTOR</td> <td>Brush motor CHAIN DRIVE</td> </tr> </tbody> </table>	MOTOR	Brush motor CHAIN DRIVE																				
MOTOR	Brush motor CHAIN DRIVE																							

EA14		<table border="1"> <tbody> <tr> <td>MAX output power</td> <td>1000W</td> </tr> <tr> <td>MAX SPEED</td> <td>25KM/H</td> </tr> <tr> <td>BATTERY</td> <td>48V 20AH LEAD-AICD</td> </tr> <tr> <td>Wheel</td> <td>Front/Rear:19*7.0-8 OFF ROAD</td> </tr> <tr> <td>Brake</td> <td>front DRUM brake, rear DISC brake</td> </tr> <tr> <td>MAX Load</td> <td>85 KG</td> </tr> <tr> <td>Seat height</td> <td>67CM</td> </tr> <tr> <td>Product size</td> <td>157*80*95CM</td> </tr> <tr> <td>N.W/G.W</td> <td>110KGS/135KGS</td> </tr> </tbody> </table>	MAX output power	1000W	MAX SPEED	25KM/H	BATTERY	48V 20AH LEAD-AICD	Wheel	Front/Rear:19*7.0-8 OFF ROAD	Brake	front DRUM brake, rear DISC brake	MAX Load	85 KG	Seat height	67CM	Product size	157*80*95CM	N.W/G.W	110KGS/135KGS	https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/	\$498.00				
MAX output power	1000W																									
MAX SPEED	25KM/H																									
BATTERY	48V 20AH LEAD-AICD																									
Wheel	Front/Rear:19*7.0-8 OFF ROAD																									
Brake	front DRUM brake, rear DISC brake																									
MAX Load	85 KG																									
Seat height	67CM																									
Product size	157*80*95CM																									
N.W/G.W	110KGS/135KGS																									
EA15		<table border="1"> <tbody> <tr> <td>MOTOR</td> <td>Brush motor CHAIN DRIVE</td> </tr> <tr> <td>MAX output power</td> <td>1000W</td> </tr> <tr> <td>MAX SPEED</td> <td>25KM/H</td> </tr> <tr> <td>BATTERY</td> <td>48V 20AH LEAD-AICD</td> </tr> <tr> <td>Wheel</td> <td>Front/Rear:16*8.0-7 OFF ROAD</td> </tr> <tr> <td>Brake</td> <td>front DRUM brake, rear DISC brake</td> </tr> <tr> <td>MAX Load</td> <td>85 KG</td> </tr> <tr> <td>Seat height</td> <td>64CM</td> </tr> <tr> <td>Product size</td> <td>142*85*90CM</td> </tr> <tr> <td>N.W/G.W</td> <td>95KGS/107KGS</td> </tr> </tbody> </table>	MOTOR	Brush motor CHAIN DRIVE	MAX output power	1000W	MAX SPEED	25KM/H	BATTERY	48V 20AH LEAD-AICD	Wheel	Front/Rear:16*8.0-7 OFF ROAD	Brake	front DRUM brake, rear DISC brake	MAX Load	85 KG	Seat height	64CM	Product size	142*85*90CM	N.W/G.W	95KGS/107KGS	https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/	\$478.00		
MOTOR	Brush motor CHAIN DRIVE																									
MAX output power	1000W																									
MAX SPEED	25KM/H																									
BATTERY	48V 20AH LEAD-AICD																									
Wheel	Front/Rear:16*8.0-7 OFF ROAD																									
Brake	front DRUM brake, rear DISC brake																									
MAX Load	85 KG																									
Seat height	64CM																									
Product size	142*85*90CM																									
N.W/G.W	95KGS/107KGS																									
EA16	 	<table border="1"> <tbody> <tr> <td>MOTOR</td> <td>Brushless motor shaft DRIVE</td> </tr> <tr> <td>MAX output power</td> <td>1060W</td> </tr> <tr> <td>MAX SPEED</td> <td>32KM/H</td> </tr> <tr> <td>BATTERY</td> <td>36V 12AH LEAD-AICD</td> </tr> <tr> <td>Wheel</td> <td>F14*4.10-6/ R14x5.00-6 OFF ROAD</td> </tr> <tr> <td>Brake</td> <td>front/rear disc brake</td> </tr> <tr> <td>Front shock</td> <td>double a swing arms</td> </tr> <tr> <td>Rear shock</td> <td>mono shock</td> </tr> <tr> <td>Product size</td> <td>118*71*70CM</td> </tr> <tr> <td>N.W.</td> <td>57KGS</td> </tr> <tr> <td>Seat height</td> <td>51CM</td> </tr> </tbody> </table>	MOTOR	Brushless motor shaft DRIVE	MAX output power	1060W	MAX SPEED	32KM/H	BATTERY	36V 12AH LEAD-AICD	Wheel	F14*4.10-6/ R14x5.00-6 OFF ROAD	Brake	front/rear disc brake	Front shock	double a swing arms	Rear shock	mono shock	Product size	118*71*70CM	N.W.	57KGS	Seat height	51CM	https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/	\$360.00
MOTOR	Brushless motor shaft DRIVE																									
MAX output power	1060W																									
MAX SPEED	32KM/H																									
BATTERY	36V 12AH LEAD-AICD																									
Wheel	F14*4.10-6/ R14x5.00-6 OFF ROAD																									
Brake	front/rear disc brake																									
Front shock	double a swing arms																									
Rear shock	mono shock																									
Product size	118*71*70CM																									
N.W.	57KGS																									
Seat height	51CM																									
EA15		<table border="1"> <tbody> <tr> <td>MOTOR</td> <td>Brush motor CHAIN DRIVE</td> </tr> <tr> <td>MAX output power</td> <td>1000W</td> </tr> <tr> <td>MAX SPEED</td> <td>25KM/H</td> </tr> <tr> <td>BATTERY</td> <td>48V 20AH LEAD-AICD</td> </tr> <tr> <td>Wheel</td> <td>Front/Rear:19*7.0-8 OFF ROAD</td> </tr> <tr> <td>Brake</td> <td>front DRUM brake, rear DISC brake</td> </tr> <tr> <td>MAX Load</td> <td>85 KG</td> </tr> <tr> <td>Seat height</td> <td>67CM</td> </tr> <tr> <td>Product size</td> <td>157*80*95CM</td> </tr> <tr> <td>N.W/G.W</td> <td>110KGS/135KGS</td> </tr> </tbody> </table>	MOTOR	Brush motor CHAIN DRIVE	MAX output power	1000W	MAX SPEED	25KM/H	BATTERY	48V 20AH LEAD-AICD	Wheel	Front/Rear:19*7.0-8 OFF ROAD	Brake	front DRUM brake, rear DISC brake	MAX Load	85 KG	Seat height	67CM	Product size	157*80*95CM	N.W/G.W	110KGS/135KGS	https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/	\$498.00		
MOTOR	Brush motor CHAIN DRIVE																									
MAX output power	1000W																									
MAX SPEED	25KM/H																									
BATTERY	48V 20AH LEAD-AICD																									
Wheel	Front/Rear:19*7.0-8 OFF ROAD																									
Brake	front DRUM brake, rear DISC brake																									
MAX Load	85 KG																									
Seat height	67CM																									
Product size	157*80*95CM																									
N.W/G.W	110KGS/135KGS																									
		<table border="1"> <tbody> <tr> <td>MOTOR</td> <td>Brushless motor shaft DRIVE</td> </tr> <tr> <td>MAX output power</td> <td>1200W</td> </tr> </tbody> </table>	MOTOR	Brushless motor shaft DRIVE	MAX output power	1200W																				
MOTOR	Brushless motor shaft DRIVE																									
MAX output power	1200W																									

<p>EA16-1 BRUSHLESS shaft MOTOR</p>		<table border="1"> <tr><td>MAX SPEED</td><td>40KM/H</td></tr> <tr><td>BATTERY</td><td>48V 12AH OR 48V 20AH LEAD-AICD</td></tr> <tr><td>Wheel</td><td>F145/70-6 / R145/70-6 OFF ROAD</td></tr> <tr><td>Brake</td><td>front DRUM brake, rear DISC brake</td></tr> <tr><td>Front shock</td><td>double a swing arms</td></tr> <tr><td>Rear shock</td><td>mono shock</td></tr> <tr><td>Product size</td><td>129*72*77CM</td></tr> <tr><td>N.W.</td><td>73KGS</td></tr> <tr><td>Seat height</td><td>55CM</td></tr> </table>	MAX SPEED	40KM/H	BATTERY	48V 12AH OR 48V 20AH LEAD-AICD	Wheel	F145/70-6 / R145/70-6 OFF ROAD	Brake	front DRUM brake, rear DISC brake	Front shock	double a swing arms	Rear shock	mono shock	Product size	129*72*77CM	N.W.	73KGS	Seat height	55CM	<p>https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/</p>	<p>\$430.00</p>				
MAX SPEED	40KM/H																									
BATTERY	48V 12AH OR 48V 20AH LEAD-AICD																									
Wheel	F145/70-6 / R145/70-6 OFF ROAD																									
Brake	front DRUM brake, rear DISC brake																									
Front shock	double a swing arms																									
Rear shock	mono shock																									
Product size	129*72*77CM																									
N.W.	73KGS																									
Seat height	55CM																									
<p>EA12-1 BRUSHLESS MOTOR</p>		<table border="1"> <tr><td>MOTOR</td><td>Brushless motor SHAFT DRIVE</td></tr> <tr><td>MAX output power</td><td>750W</td></tr> <tr><td>MAX SPEED</td><td>32KM/H</td></tr> <tr><td>BATTERY</td><td>36V 20AH LEAD-AICD</td></tr> <tr><td>Wheel</td><td>F16x8.0-7/R16x8.0-7 OFF ROAD</td></tr> <tr><td>Brake</td><td>front drum brake / rear disc brake</td></tr> <tr><td>Front shock</td><td>double a swing arms</td></tr> <tr><td>Rear shock</td><td>mono shock</td></tr> <tr><td>Product size</td><td>131*73*87CM</td></tr> <tr><td>N.W.</td><td>85KGS</td></tr> <tr><td>Seat height</td><td>62CM</td></tr> </table>	MOTOR	Brushless motor SHAFT DRIVE	MAX output power	750W	MAX SPEED	32KM/H	BATTERY	36V 20AH LEAD-AICD	Wheel	F16x8.0-7/R16x8.0-7 OFF ROAD	Brake	front drum brake / rear disc brake	Front shock	double a swing arms	Rear shock	mono shock	Product size	131*73*87CM	N.W.	85KGS	Seat height	62CM	<p>https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/</p>	<p>\$556.00</p>
MOTOR	Brushless motor SHAFT DRIVE																									
MAX output power	750W																									
MAX SPEED	32KM/H																									
BATTERY	36V 20AH LEAD-AICD																									
Wheel	F16x8.0-7/R16x8.0-7 OFF ROAD																									
Brake	front drum brake / rear disc brake																									
Front shock	double a swing arms																									
Rear shock	mono shock																									
Product size	131*73*87CM																									
N.W.	85KGS																									
Seat height	62CM																									
<p>EA11-1 BRUSHLESS MOTOR</p>		<table border="1"> <tr><td>MOTOR</td><td>Brushless motor SHAFT DRIVE</td></tr> <tr><td>MAX output power</td><td>1000W</td></tr> <tr><td>MAX SPEED</td><td>45KM/H</td></tr> <tr><td>BATTERY</td><td>48V 20AH LEAD-AICD</td></tr> <tr><td>Wheel</td><td>F18x9.0-8/R18x9.5-8 OFF ROAD</td></tr> <tr><td>Brake</td><td>front drum brake / rear disc brake</td></tr> <tr><td>Front shock</td><td>double a swing arms</td></tr> <tr><td>Rear shock</td><td>mono shock</td></tr> <tr><td>Product size</td><td>157*80*95CM</td></tr> <tr><td>N.W/G.W</td><td>100KGS/110KGS</td></tr> <tr><td>Seat height</td><td>67CM</td></tr> </table>	MOTOR	Brushless motor SHAFT DRIVE	MAX output power	1000W	MAX SPEED	45KM/H	BATTERY	48V 20AH LEAD-AICD	Wheel	F18x9.0-8/R18x9.5-8 OFF ROAD	Brake	front drum brake / rear disc brake	Front shock	double a swing arms	Rear shock	mono shock	Product size	157*80*95CM	N.W/G.W	100KGS/110KGS	Seat height	67CM	<p>https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/</p>	<p>\$635.00</p>
MOTOR	Brushless motor SHAFT DRIVE																									
MAX output power	1000W																									
MAX SPEED	45KM/H																									
BATTERY	48V 20AH LEAD-AICD																									
Wheel	F18x9.0-8/R18x9.5-8 OFF ROAD																									
Brake	front drum brake / rear disc brake																									
Front shock	double a swing arms																									
Rear shock	mono shock																									
Product size	157*80*95CM																									
N.W/G.W	100KGS/110KGS																									
Seat height	67CM																									
<p>EA13-1 BRUSHLESS MOTOR</p>		<table border="1"> <tr><td>MOTOR</td><td>Brushless motor SHAFT DRIVE</td></tr> <tr><td>MAX output power</td><td>2100W</td></tr> <tr><td>MAX SPEED</td><td>50KM/H</td></tr> <tr><td>BATTERY</td><td>60V 20AH LEAD-AICD</td></tr> <tr><td>Wheel</td><td>F16x8.0-7/R16x8.0-7 OFF ROAD</td></tr> <tr><td>Brake</td><td>front drum brake / rear disc brake</td></tr> <tr><td>Front shock</td><td>double a swing arms</td></tr> <tr><td>Rear shock</td><td>mono shock</td></tr> <tr><td>Product size</td><td>157*80*95CM</td></tr> <tr><td>N.W.</td><td>105KGS</td></tr> <tr><td>Seat height</td><td>67CM</td></tr> </table>	MOTOR	Brushless motor SHAFT DRIVE	MAX output power	2100W	MAX SPEED	50KM/H	BATTERY	60V 20AH LEAD-AICD	Wheel	F16x8.0-7/R16x8.0-7 OFF ROAD	Brake	front drum brake / rear disc brake	Front shock	double a swing arms	Rear shock	mono shock	Product size	157*80*95CM	N.W.	105KGS	Seat height	67CM	<p>https://goocycle.com/product/atv-electric-motorcycle-liideway-hm-1/</p>	<p>\$820.00</p>
MOTOR	Brushless motor SHAFT DRIVE																									
MAX output power	2100W																									
MAX SPEED	50KM/H																									
BATTERY	60V 20AH LEAD-AICD																									
Wheel	F16x8.0-7/R16x8.0-7 OFF ROAD																									
Brake	front drum brake / rear disc brake																									
Front shock	double a swing arms																									
Rear shock	mono shock																									
Product size	157*80*95CM																									
N.W.	105KGS																									
Seat height	67CM																									
		<table border="1"> <tr><td>MOTOR</td><td>Brushless motor SHAFT DRIVE</td></tr> <tr><td>MAX output power</td><td>1200W</td></tr> <tr><td>MAX SPEED</td><td>50KM/H</td></tr> <tr><td>BATTERY</td><td>60V 20AH LEAD-AICD</td></tr> </table>	MOTOR	Brushless motor SHAFT DRIVE	MAX output power	1200W	MAX SPEED	50KM/H	BATTERY	60V 20AH LEAD-AICD																
MOTOR	Brushless motor SHAFT DRIVE																									
MAX output power	1200W																									
MAX SPEED	50KM/H																									
BATTERY	60V 20AH LEAD-AICD																									

<p>EA14-1 BRUSHLESS MOTOR</p>		<table border="1"> <tr> <td>Wheel</td> <td>F19x7-8/R18x9.50-8 OFF ROAD</td> </tr> <tr> <td>Brake</td> <td>front drum brake / rear disc brake</td> </tr> <tr> <td>Front shock</td> <td>double a swing arms</td> </tr> <tr> <td>Rear shock</td> <td>mono shock</td> </tr> <tr> <td>Product size</td> <td>150*100*100CM</td> </tr> <tr> <td>N.W.</td> <td>105KGS</td> </tr> <tr> <td>Seat height</td> <td>67CM</td> </tr> </table>	Wheel	F19x7-8/R18x9.50-8 OFF ROAD	Brake	front drum brake / rear disc brake	Front shock	double a swing arms	Rear shock	mono shock	Product size	150*100*100CM	N.W.	105KGS	Seat height	67CM	<p>https://goocycle.com/product/atv-electric-motorcycle-liidewav-hm-1/</p>	<p>\$698.00</p>								
Wheel	F19x7-8/R18x9.50-8 OFF ROAD																									
Brake	front drum brake / rear disc brake																									
Front shock	double a swing arms																									
Rear shock	mono shock																									
Product size	150*100*100CM																									
N.W.	105KGS																									
Seat height	67CM																									
<p>EA15-1 BRUSHLESS MOTOR</p>		<table border="1"> <tr> <td>MOTOR</td> <td>Brushless motor SHAFT DRIVE</td> </tr> <tr> <td>MAX output power</td> <td>1200W</td> </tr> <tr> <td>MAX SPEED</td> <td>50KM/H</td> </tr> <tr> <td>BATTERY</td> <td>60V 20AH LEAD-AICD</td> </tr> <tr> <td>Wheel</td> <td>F19x7-8/R18x9.50-8 OFF ROAD</td> </tr> <tr> <td>Brake</td> <td>front drum brake / rear disc brake</td> </tr> <tr> <td>Front shock</td> <td>double a swing arms</td> </tr> <tr> <td>Rear shock</td> <td>mono shock</td> </tr> <tr> <td>Product size</td> <td>150*100*100CM</td> </tr> <tr> <td>N.W.</td> <td>105KGS</td> </tr> <tr> <td>Seat height</td> <td>67CM</td> </tr> </table>	MOTOR	Brushless motor SHAFT DRIVE	MAX output power	1200W	MAX SPEED	50KM/H	BATTERY	60V 20AH LEAD-AICD	Wheel	F19x7-8/R18x9.50-8 OFF ROAD	Brake	front drum brake / rear disc brake	Front shock	double a swing arms	Rear shock	mono shock	Product size	150*100*100CM	N.W.	105KGS	Seat height	67CM	<p>https://goocycle.com/product/atv-electric-motorcycle-liidewav-hm-1/</p>	<p>\$698.00</p>
MOTOR	Brushless motor SHAFT DRIVE																									
MAX output power	1200W																									
MAX SPEED	50KM/H																									
BATTERY	60V 20AH LEAD-AICD																									
Wheel	F19x7-8/R18x9.50-8 OFF ROAD																									
Brake	front drum brake / rear disc brake																									
Front shock	double a swing arms																									
Rear shock	mono shock																									
Product size	150*100*100CM																									
N.W.	105KGS																									
Seat height	67CM																									